

## Universal Dynamic Handheld Microphones



**PDMiC58**



**PDMiC59**



**PDMiC78**



**PDMiK2**



**PPMiK**



**PDMiK4**



**PDMiC60CL**



**PDMiCKT80**

### Handling & Precautions

Covering and/or obstructing the microphone top mesh grill and internal mic receiver diaphragm element will result in less than optimal performance, causing audio distortion and interfered sound signal. To avoid such audio interferences try decreasing the audio source's volume, then position the microphone diaphragm so that it is not directly pointed or exposed to the external audio source; allow sufficient separation distance between the microphone and external audio source. The microphone internal system contains sensitive audio equipment and electronic components, do not drip, hit or expose to forceful impact. Do not store or operate the microphone in a high temperature, or high humidity, environment.

### Operation & Performance

The optimum placement distance of the microphone and vocals (distance from your mouth to the microphone grill) is from 5 to 10 centimeters. If the microphone placement is too close to your mouth, the sound and audio pickup performance may be unclear, outputting excessive bass and distortion in the audio tone.

### Microphone Connection

Align the output connector with the slotted insert of the incoming connection cable -- ensure the connector alignment is positioned properly and adequate pressure is used when inserting the connection (you may hear a "click" sound to ensure proper connection). To unplug the microphone, hold down the button tab, and ensure it is depressed, then pull the connection cable outward gently.

