


ICE MAKER USER MANUAL



PICEM25

Description



1. Silicon stopper
2. Water tank
3. Compressor
4. Plug and power cord
5. Front lid
6. View window
7. Back front cover
8. Control Panel
9. Water tray
10. Evaporator
11. Ice shovel
12. Ice basket

Function

Instant making ice

Ice full alarming, deficient water alarming


Crystalline ice bullet warhead

9pcs of ice cube in 10mintues

Before/First Use of Your Ice Maker

1. During transportation, the incline angle of the cabinet should not be over 45° .Do not turn the Ice maker upside down. As this may damage the compressor and sealed system.
2. Remove all packing material and carefully check your ice maker to ensure it is in good condition and that there is no damage to the ice maker or power cord and plug.
3. The Ice maker should be placed horizontally on a level surface. To ensure proper ventilation for your Ice maker allow 150mm of space at the top, the back and on each side. Do not install the Ice maker near an oven, radiator, or any other heat source.
4. Before using the Ice maker for the first time, please wait 2 hours after positioning it, and keep the front lid open for at least 2hours
5. Ensure that the voltage indicated on the ice maker corresponds with the voltage in your home.
6. Pure water is not allowed to be used on this unit, spring water is recommended.

Control Panel Operation



ON/OFF: Press it to turn unit on or off.

ADD WATER: This light will come on with a long noise 'DI' noise. You will need to add water and press the 'STOP' then the 'START' button to restart the Ice maker.

ICE FULL This light will come on with a 'DI, DI' noise when the ice has reached the maximum capacity of the storage cabinet. Press ON/OFF button to restart the Ice maker after some of the ice has been taken away.

Operating Instructions

Step 1.

Open the lid and fill the water reservoir with water.

Note: Make sure the water level in the water reservoir is not over the Ice collecting tray.

Step 2.

Connect to the power.

Step 3.

Press ON/OFF button to turn unit on. The ice maker begins to work.

Note: For the first three cycles, the ice may be small and irregular in size.

Step 4

If indicator ADD WATER is red with 'DI' noise, then take out the basket, then add water as per step 1, then press **ON/OFF** to restart the ice maker

Note: If no water is pumped up to the water tray over two cycles but the water in water tank is enough, then please move the unit ahead a little, then remove the silicon stopper, and let several drops water runs out.

Step 5

If indicator ICE FULL is in red with 'DI DI' noise, please take out the ice with the scoop.

Note: When the ice collecting tray is full please remove the ice immediately, Do not allow the ice collecting tray to overfill.

Step 6

Press ON/OFF button to stop the machine.

Caring

1. Clean the inner liner, ice collecting tray, water box, ice shovel and evaporator frequently. When cleaning, unplug the unit and remove the ice cubes. Use a diluted solution of water and vinegar to clean the inside and the outside surface of the Ice maker. Do not spray Ice maker with chemicals or diluted agents such as acids, gasoline or oil. Rinse thoroughly before starting.
2. Keep ventilation openings in the appliance enclosure, or in the built-in structure, clear of obstruction. Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
3. If the icemaker is reused after a long time, the water pump may not pump sufficient water due to an air block, the deficient water indicator turns on in this case . To correct this press the START button again, then the icemaker will work normally.
4. To ensure the cleanliness of the ice cubes, water in the water reservoir should be replaced every 24 hours.
5. If the compressor stops for any reason such as water shortage, too much Ice, power off, etc... Do not start the system right away, wait 3 minutes, and then re-start the Ice maker.
6. Always use fresh water before starting ice production either at initial installation or after a long shut-off period.

Troubleshooting

1. Please note, if a power failure occurs due to disconnection of the power cord, or the off power button has been pushed off during an ice making cycle, small ice chips may formed and lodge in the automatic shovel causing it to jam. If this occurs, the ice chips may be removed by disconnecting the power cord and gently pushing the shovel to the rear of the cabinet and removing the ice chips, then restarting.
2. Please restart the ice maker by pressing Stop and then Start. If the Ice shovel does not push the Ice into the Ice collector after the formed Ice drops from the evaporator finger while at the same time the M light is on, check to see if the water tray is horizontal or balanced. If not then adjust by pressing the Ice shovel lightly with your finger. Then re-start the Ice maker.

| Problem | Possible Cause | Suggested Solutions |
|--|---|--|
| The compressor works abnormally with a Buzzing noise | The voltage is lower than recommended | Stop the Ice maker and do not restart until the voltage is normal. |
| Water shortage indicator light is on | 1. There is no water 2. The pump is full of air | 1. Press the stop button, fill with water, wait 3 minutes and press the start button to restart. When the water has reached the fill line the ice maker will restart automatically. 2. Remove the silicon stopper and let several drops water runs out. |
| Indicator lights on display are not on | Blown fuse/ No power | Replace fuse / Turn power on |
| The Ice made is too large and with pieces sticking together. | 1. Ice of previous cycles left in the water tray 2. The evaporator is too low | 1. Stop the unit right away, restart the unit till the ice in water tray melt down 2. Shift the evaporator a little. |
| Conditions for Ice making Cycle are right but no ice is made. | A. There is no refrigerant in the compressor B. Compressor is broken down Fan motor is broken | call for service |
| The lights of ice full and deficient come at in the same time. | Water tray is blocked by ice cube | Clear the ice cube under the ice shovel pull out the plug and insert It again then press the "ON/OFF" button, two minutes later the machine will restart automatically |
| Machine keeps running, but the water is warmer than the normal water | The magnetic valve is broken | Replace the magnetic valve |

WARNING

If the power cord is damaged; it must be replaced by the manufacturer, its service agent or a similarly qualified person in order to avoid a hazard.

Fill with potable water only.

It is normal for the compressor and condenser surface to reach temperatures between 70°C and 90°C during operation and surrounding areas may be very hot.

Due to fast freezing, ice cubes may appear "Cloudy". This is air trapped in the water and will not affect quality or taste of ice.

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.

Children shall not play with the appliance.

Cleaning and user maintenance shall not be made by children without supervision

Do not immerse in water.