

PYRAMID



SPECIFICATIONS

PW577X • PW677X

PW877X • PW1077X

PW1277X • PW1577X





About Pyramid Power Series Woofer

Congratulations!

You have just purchased one of our high quality Pyramid woofer. Pyramid Power Series Woofer is carefully designed & manufactured for vehicle use. They could deliver consistent and high performance over the years.

The General Features of Pyramid Power Series Woofers:

- New Design Injection-Molded P.P. Cone
- Specially Treated Black Rubber Edge Suspension
- Chrome Finished Basket
- Bumped & Vented Yoke Plate for Extended Excursion
- Silver Plated Terminal
- Rubber Magnet Boot for Better Protection
- High Temperature Kapton Polyamide Voice Coils
- 4 Ohm Impedance

PW577X • PW677X**PW877X • PW1077X****PW1277X • PW1577X**

Specification	PW577X	PW677X	PW877X	PW1077X	PW1277X	PW1577X
Power (Watts Peak)	200	300	400	500	700	800
Nom. Impedance (Ohm)	4	4	4	4	4	4
Voice Coil	1" KSV	1" KSV	1.5" KSV	2" KSV	2" KSV	2.5" KSV
Motor Structure	Vented	Bumped & Vented	Bumped & Vented	Bumped & Vented	Bumped & Vented	Bumped & Vented
Magnet Structure	20 oz	40 oz	60 oz	80 oz	80 oz	100 oz
Fs (Hz)	65	55	38	39	34	32
Qms	5.00	5.01	2.05	2.09	2.68	5.08
Qes	0.85	0.84	0.63	0.91	0.90	0.89
Qts	0.71	0.72	0.48	0.63	0.68	0.66
SPL (dB)	87	86	89	88	88	89
Vas (cuft)	0.173	0.448	1.794	1.787	2.730	8.689
Mounting Depth, D1	2.17"	2.89"	3.54"	4.33"	4.96"	5.87"
Overall Depth, D2	2.51"	3.24"	3.94"	4.75"	5.37"	6.28"
Mounting Diameter, L1	4.75"	6.18"	7.76"	9.61"	11.57"	14.57"
Overall Diameter, L2	5.17"	6.50"	8.27"	10.08"	12.17"	15.16"

Pyramid Power Series Woofer continually strives to improve the performance and value of its products - all specifications are subject to change.

MANUFACTURER'S LIMITED TWO YEAR WARRANTY

PYRAMID AUDIO CORP. warrants this unit to be free from defective material or workmanship and will repair or replace this unit or any part thereof if it proves defective in normal use or service within Two (2) years from the date of original purchase.

Our obligation under this warranty is limited to the repairing or replacing, at our discretion, the defective instrument or any part thereof when it is returned, transportation prepaid to the Pyramid Service Center at the address below. This warranty will be considered void if the unit has been tampered with, improperly serviced, subjected to abuse or misuse or if installed in a commercial vehicle. This warranty does not cover accidental damage. When returning this unit for service, please include \$10.00 for return postage and handling. Send your unit to:

PYRAMID SERVICE CENTER
1600-63rd Street
Brooklyn, New York 11204 USA

IMPORTANT: Pack carefully in original carton if possible. We are not responsible for damage incurred in returning items for repair. A letter stating your exact street address, daytime phone number and the problem you are experiencing should be included. You must also enclose a copy of the original receipt as proof of date of purchase.

Register Online@www.pyramidcaraudio.com